



ECOLOGICAL INTERACTIONS
between Wild & Hatchery Salmon

May 4-7, 2010
Hilton, Portland, Oregon


BIBLIOGRAPHY

Introduction

The State of the Salmon Program performed a bibliographical search of peer-reviewed publications on the topic of ecological interactions between wild and hatchery Pacific salmon. We did not attempt to conduct an exhaustive search on literature focusing on genetic effects and introgression. We acknowledge the hard work of Eva Schemmel in conducting this search.

Below we provide a summary of the number of publications we identified in our search, broken down by year (1933–2009), region, species, and ecological interaction type. In addition, we provide the entire reference list in this document. We also provide on-line access to the reference list including abstracts and annotations. The site is:

<http://library.stateofthesalmon.org/index.php>. While this does not provide access to the publications themselves, it does provide a way of listing publications by a variety of listing criteria and keywords. If you have any further questions about the bibliography, please send an email to inquiries AT stateofthesalmon DOT org.



Publications

Achord, S., Levin, P. S., & Zabel, R. W. (2003). Density-dependent mortality in Pacific salmon: The ghost of impacts past? *Ecology Letters*, 6(4), 335—342.

Afanas'ev, K., Rubtsova, G., Malinina, T., Salmenkova, E., Omel'chenko, V., & Zhivotovsky, L. (2006). Microsatellite variability and differentiation of hatchery stocks of chum salmon (*Oncorhynchus keta* Walbaum) in Sakhalin. *Russian Journal of Genetics*, 42(12), 1431—1438.

Agersborg, K. H. P. (1933). Salient problems in the artificial rearing of salmonoid fishes, with special reference to intestinal fungisitis and the cause of white-spot disease. *Transactions of the American Fisheries Society*, 63(1), 240—250.

Allendorf, F. W. (1991). Ecological and genetic effects of fish introductions: Synthesis and recommendations. *Canadian Journal of Fisheries and Aquatic Sciences*, 48, 178—181.

Amos, K., & Thomas, J. (2002). Disease interaction between wild and cultured fish: Observations and lessons learned in the Pacific Northwest. *Bulletin of the European Association of Fish Pathologists*, 22, 95—102.

Amos, K., Thomas, J., & Hopper, K. (1998). A case history of adaptive management strategies for viral hemorrhagic septicemia virus (VHSV) in Washington State. *Journal of Aquatic Animal Health*, 10(2), 152—159.

Anderson, E. D., Engelking, M. H., Emmenegger, E. J., & Kurath, G. (2000). Molecular epidemiology reveals emergence of a virulent infectious hematopoietic necrosis (IHN) virus strain in wild salmon and its transmission to hatchery fish. *Journal of Aquatic Animal Health*, 12(2), 85—99.

Araki, H., Berejikian, B. A., Ford, M. J., & Blouin, M. S. (2008). Fitness of hatchery-reared salmonids in the wild. *Evolutionary Applications*, 1(2), 342—355.

Araki, H., Ardren, W. R., Olsen, E., Cooper, B., & Blouin, M. S. (2007). Reproductive success of captive-bred steelhead trout in the wild: Evaluation of three hatchery programs in the Hood River. *Conservation Biology*, 21(1), 181—190.

Araki, H., Cooper, B., & Blouin, M. S. (2007). Genetic effects of captive breeding cause a rapid, cumulative fitness decline in the wild. *Science*, 318(5847), 100—103.

Arkoosh, M. R., Clemons, E., Kagley, A. N., Stafford, C., Glass, A. C., & Jacobson, K., et al. (2004). Survey of pathogens in juvenile salmon *Oncorhynchus* spp. migrating through Pacific Northwest estuaries. *Journal of Aquatic Animal Health*, 16(4), 186—196.

- Arkush, K. D., Giese, A. R., Mendonca, H. L., McBride, A. M., Marty, G. D., & Hedrick, P. W. (2002). Resistance to three pathogens in the endangered winter-run Chinook salmon (*Oncorhynchus tshawytscha*): Effects of inbreeding and major histocompatibility complex genotypes. *Canadian Journal of Fisheries and Aquatic Sciences*, *59*, 966—975.
- Arlinghaus, R., Cooke, S. J., Lyman, J., Policansky, D., Schwab, A., & Suski, C., et al. (2007). Understanding the complexity of catch-and-release in recreational fishing: An integrative synthesis of global knowledge from historical, ethical, social, and biological perspectives. *Reviews in Fisheries Science*, *15*(1/2), 75—167.
- Armstrong, J. L., Boldt, J. L., Cross, A. D., Moss, J. H., Davis, N. D., & Myers, K. W., et al. (2005). Distribution, size, and interannual, seasonal, and diel food habits of northern Gulf of Alaska juvenile pink salmon, *Oncorhynchus gorbuscha*. *Deep Sea Research Part II: Topical Studies in Oceanography*, *52*(1-2), 247—265.
- Armstrong, J. L., Myers, K. W., Beauchamp, D. A., Davis, N. D., Walker, R. V., & Boldt, J. L., et al. (2008). Interannual and spatial feeding patterns of hatchery and wild juvenile pink salmon in the Gulf of Alaska in years of low and high survival. *Transactions of the American Fisheries Society*, *137*(5), 1299—1316.
- Arsan, L. E., & Bartholomew, J. L. (2008). Potential for dissemination of the nonnative salmonid parasite *Myxobolus cerebralis* in Alaska. *Journal of Aquatic Animal Health*, *20*(3), 136—149.
- Awakura, T., Nagasawa, K., & Urawa, S. (1995). Occurrence of *Myxobolus arcticus* and *M. neurobius* (Myxozoa:Myxosporidia) in masu salmon *Oncorhynchus masou* from northern Japan. *Scientific Reports of the Hokkaido Salmon Hatchery*, *49*, 35—40.
- Aydin, K. Y., McFarlane, G. A., King, J. R., Megrey, B. A., & Myers, K. W. (2005). Linking oceanic food webs to coastal production and growth rates of Pacific salmon (*Oncorhynchus* spp.), using models on three scales. *Deep Sea Research Part II: Topical Studies in Oceanography*, *52*(5-6), 757—780.
- Álvarez, D., & Nicieza, A. G. (2003). Predator avoidance behaviour in wild and hatchery-reared brown trout: The role of experience and domestication. *Journal of Fish Biology*, *63*(6), 1565—1577.
- Bachman, R. A. (1984). Foraging behavior of free-ranging wild and hatchery brown trout in a stream. *Transactions of the American Fisheries Society*, *113*(1), 1—32.
- Banks, M. A., & Johnson, M. A. (2008). Genetic structure, migration, and patterns of allelic richness among coho salmon (*Oncorhynchus kisutch*) populations of the Oregon coast. *Canadian Journal of Fisheries and Aquatic Sciences*, *65*(7), 1274—1285.
- Barnett-Johnson, R., Grimes, C. B., Royer, C. F., & Donohoe, C. J. (2007). Identifying the contribution of wild and hatchery Chinook salmon (*Oncorhynchus tshawytscha*) to the ocean fishery using otolith microstructure as natural tags. *Canadian Journal of Fisheries and Aquatic Sciences*, *64*(12), 1683—1692.

- Bartholomew, J. L., Kerans, B. L., Hedrick, R. P., MacDiarmid, S. C., & Winton, J. R. (2005). A risk assessment based approach for the management of whirling disease. *Reviews in Fisheries Science*, 13(4), 205—230.
- Bartley, D. M., Bondad-Reantaso, M. G., & Subasinghe, R. P. (2006). A risk analysis framework for aquatic animal health management in marine stock enhancement programmes. *Fisheries Research*, 80(1), 28—36.
- Baumsteiger, J., Hand, D. M., Olson, D. E., Spateholts, R., FitzGerald, G., & Ardren, W. R. (2008). Use of parentage analysis to determine reproductive success of hatchery-origin spring Chinook salmon outplanted into Shitike Creek, Oregon. *North American Journal of Fisheries Management*, 28(5), 1472—1485.
- Beacham, T. D., & Evelyn, T. P. T. (1992). Genetic variation in disease resistance and growth of Chinook, coho, and chum salmon with respect to vibriosis, furunculosis, and bacterial kidney disease. *Transactions of the American Fisheries Society*, 121(4), 456—485.
- Beacham, T. D., & Evelyn, T. P. T. (1992). Population and genetic variation in resistance of Chinook salmon to vibriosis, furunculosis, and bacterial kidney disease. *Journal of Aquatic Animal Health*, 4(3), 153—167.
- Beacham, T. D., & Evelyn, T. P. T. (1992). Population variation in resistance of pink salmon to vibriosis and furunculosis. *Journal of Aquatic Animal Health*, 4(3), 168—173.
- Beacham, T. D., Winther, I., Jonsen, K. L., Wetklo, M., Deng, L., & Candy, J. R. (2008). The application of rapid microsatellite-based stock identification to management of a Chinook salmon troll fishery off the Queen Charlotte Islands, British Columbia. *North American Journal of Fisheries Management*, 28(3), 849—855.
- Beamesderfer, R. C., & Rieman, B. E. (1991). Abundance and distribution of northern squawfish, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society*, 120(4), 439—447.
- Beamish, R. J., Mahnken, C., & Neville, C. M. (1997). Hatchery and wild production of Pacific salmon in relation to large-scale, natural shifts in the productivity of the marine environment. *ICES Journal of Marine Science*, 54(6), 1200—1215.
- Beamish, R. J., Sweeting, R. M., Lange, K. L., & Neville, C. M. (2008). Changes in the population ecology of hatchery and wild coho salmon in the Strait of Georgia. *Transactions of the American Fisheries Society*, 137(2), 503—520.
- Beamish, R. J., Thomson, B. L., & McFarlane, G. A. (1992). Spiny dogfish predation on Chinook and coho salmon and the potential effects on hatchery-produced salmon. *Transactions of the American Fisheries Society*, 121(4), 444—455.

- Beauchamp, D. A., Cross, A. D., Armstrong, J. L., Myers, K. W., Moss, J. H., Boldt, J. L., & Haldorson, L. J. (2007). Bioenergetic responses by Pacific salmon to climate and ecosystem variation. *North Pacific Anadromous Fish Commission Bulletin*, 4, 257—269.
- Beauchamp, D. A. (1995). Riverine predation on sockeye salmon fry migrating to Lake Washington. *North American Journal of Fisheries Management*, 15(2), 358—365.
- Bell, J. D., Bartley, D. M., Lorenzen, K., & Loneragan, N. R. (2006). Restocking and stock enhancement of coastal fisheries: Potential, problems and progress. *Fisheries Research*, 80(1), 1—8.
- Bendorf, C. M., Kelley, G. O., Yun, S. C., Kurath, G., Andree, K. B., & Hedrick, R. P. (2007). Genetic diversity of infectious hematopoietic necrosis virus from Feather River and Lake Oroville, California, and virulence of selected isolates for Chinook salmon and rainbow trout. *Journal of Aquatic Animal Health*, 19(4), 254—269.
- Berejikian, B. A., Mathews, S. B., & Quinn, T. P. (1996). Effects of hatchery and wild ancestry and rearing environments on the development of agonistic behavior in steelhead trout (*Oncorhynchus mykiss*) fry. *Canadian Journal of Fisheries and Aquatic Sciences*, 53, 2004—2014.
- Berejikian, B. A., Tezak, E. P., Schroder, S. L., Knudsen, C. M., & Hard, J. J. (1997). Reproductive behavioral interactions between wild and captive reared coho salmon (*Oncorhynchus kisutch*). *ICES Journal of Marine Science*, 54, 1040—1050.
- Berejikian, B. A., Tezak, E. P., Flagg, T. A., LaRae, A. L., Kummerow, E., & Mahnken, C. V. W. (2000). Social dominance, growth, and habitat use of age-0 steelhead (*Oncorhynchus mykiss*) grown in enriched and conventional hatchery rearing environments. *Canadian Journal of Fisheries and Aquatic Sciences*, 57, 628—636.
- Berejikian, B. A., Tezak, E. P., Park, L., LaHood, E., Schroder, S. L., & Beall, E. (2001). Male competition and breeding success in captive reared and wild coho salmon. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(4), 804.
- Berejikian, B. A., Tezak, E. P., Riley, S. C., & LaRae, A. L. (2001). Competitive ability and social behaviour of juvenile steelhead reared in enriched and conventional hatchery tanks and a stream environment. *Journal of Fish Biology*, 59(6), 1600—1613.
- Berejikian, B. A., Tezak, E. P., & Schroder, S. L. (2001). Reproductive behavior and breeding success of captive reared Chinook salmon. *North American Journal of Fisheries Management*, 21(1), 255—260.
- Berejikian, B. A., Tezak, P. E., Schroder, S. L., Flagg, T. A., & Knudsen, C. M. (1999). Competitive differences between newly emerged offspring of captive-reared and wild coho salmon. *Transactions of the American Fisheries Society*, 128(5), 832—839.
- Berejikian, B. A., Tezak, E. P., & LaRae, A. L. (2003). Innate and enhanced predator recognition in hatchery-reared Chinook salmon. *Environmental Biology of Fishes*, 67(3), 241—251.

- Berejikian, B., Doornik, D. V., LaRae, A., Tezak, S., & Lee, J. (2005). The effects of exercise on behavior and reproductive success of captive reared steelhead. *Transactions of the American Fisheries Society*, 134(5), 1236—1252.
- Berejikian, B. A., Van Doornik, D. M., Scheurer, J. A., & Bush, R. (2009). Reproductive behavior and relative reproductive success of natural- and hatchery-origin Hood Canal summer chum salmon (*Oncorhynchus keta*). *Canadian Journal of Fisheries and Aquatic Sciences*, 66(5), 781—789.
- Biro, P. A., Abrahams, M. V., Post, J. R., & Parkinson, E. A. (2006). Behavioural trade-offs between growth and mortality explain evolution of submaximal growth rates. *Journal of Animal Ecology*, 75, 1165—1171.
- Bisson, P. A., Coutant, C. C., Goodman, D., Gramlin, R., & Lettenmaier, D., et al. (2002). Hatchery surpluses in the Pacific Northwest. *Fisheries*, 27(12), 16—27.
- Blann, C. A., & Healey, M. C. (2006). Effects of species, culture history, size, and residency on relative competitive ability of salmonids. *Journal of Fish Biology*, 69(2), 535—552.
- Boldt, J. L., & Haldorson, L. J. (2004). Size and condition of wild and hatchery pink salmon juveniles in Prince William Sound, Alaska. *Transactions of the American Fisheries Society*, 133(1), 173—184.
- Brannon, E. L. (1993). The perpetual oversight of hatchery programs. *Fisheries Research*, 18, 19—27.
- Brannon, E. L., & Powell, M. S. (2004). Population structure of Columbia River basin Chinook salmon and steelhead trout. *Reviews in Fisheries Science*, 12, 99—232.
- Brannon, E. L., Amend, D. F., Cronin, M. A., Lannan, J. E., LaPatra, S., & McNeil, W. J., et al. (2004). The controversy about salmon hatcheries. *Fisheries*, 29(9), 12—31.
- Brown, C., & Laland, K. (2001). Social learning and life skills training for hatchery reared fish. *Journal of Fish Biology*, 59(3), 471—493.
- Brown, C., & Day, R. L. (2002). The future of stock enhancements: Lessons for hatchery practice from conservation biology. *Fish and Fisheries*, 3(2), 79—94.
- Brown, C., & Laland, K. (2002). Social enhancement and social inhibition of foraging behaviour in hatchery-reared Atlantic salmon. *Journal of Fish Biology*, 61(4), 987—998.
- Bugaev, V. F., Welch, D. W., Selifonov, M. M., Grachev, L. E., & Eveson, J. P. (2001). Influence of the marine abundance of pink (*Oncorhynchus gorbuscha*) and sockeye salmon (*O. nerka*) on growth of Ozeraya River sockeye. *Fisheries Oceanography*, 10(1), 26—32.
- Bugert, R. M. (1998). Mechanics of supplementation in the Columbia River. *Fisheries Management*, 23(1), 11—20.

- Buhle, E. R., Holsman, K. K., Scheuerell, M. D., & Albaugh, A. (2009). Using an unplanned experiment to evaluate the effects of hatcheries and environmental variation on threatened populations of wild salmon. *Biological Conservation*, 142(11), 2449—2455.
- Busack, C. A., & Currens, K. P. (1995). Genetic risks and hazards in hatchery operations: Fundamental concepts and issues. In J. H. L. Schramm & R. G. Piper (Eds.), *Uses and effects of cultured fishes in aquatic ecosystems* (pp. 71—90). Bethesda, MD: American Fisheries Society.
- Byrne, A., Bjornn, T. C., & McIntyre, J. D. (1992). Modeling the response of native steelhead to hatchery supplementation programs in an Idaho river. *North American Journal of Fisheries Management*, 12, 62—78.
- Campton, D. E., Allendorf, F. W., Behnke, R. J., Utter, F. M., Chilcote, M. W., Leider, S. A., & Loch, J. J. (1991). Reproductive success of hatchery and wild steelhead. *Transactions of the American Fisheries Society*, 120(6), 816—827.
- Campton, D. E. (2004). Sperm competition in salmon hatcheries: The need to institutionalize genetically benign spawning protocols. *Transactions of the American Fisheries Society*, 133(5), 1277—1289.
- Candy, J. R., Carter, E. W., Quinn, T. P., & Riddell, B. E. (1996). Adult Chinook salmon behavior and survival after catch and release from purse-seine vessels in Johnstone Strait, British Columbia. *North American Journal of Fisheries Management*, 16(3), 521—529.
- Candy, J. R., & Beacham, T. D. (2000). Patterns of homing and straying in southern British Columbia coded-wire tagged Chinook salmon (*Oncorhynchus tshawytscha*) populations. *Fisheries Research*, 47(1), 41—56.
- Cannamela, D. A. (1993). *Hatchery steelhead smolt predation of wild and natural juvenile Chinook salmon fry in the Upper Salmon River, Idaho*. Idaho Department of Fish and Game.
- Chilcote, M. W., Leider, S. A., & Loch, J. J. (1986). Differential reproductive success of hatchery and wild summer-run steelhead under natural conditions. *Transactions of the American Fisheries Society*, 115(5), 726—735.
- Chilcote, M. W. (2003). Relationship between natural productivity and the frequency of wild fish in mixed spawning populations of wild and hatchery steelhead (*Oncorhynchus mykiss*). *Canadian Journal of Fisheries and Aquatic Sciences*, 60, 1057—1067.
- Chittenden, C. M., Sura, S., Butterworth, K. G., Cubitt, K. F., Manel-La, P. N., & Balfry, S., et al. (2008). Riverine, estuarine, and marine migratory behaviour and physiology of wild and hatchery-reared coho salmon *Oncorhynchus kisutch* (Walbaum) smolts descending the Campbell River, BC, Canada. *Journal of Fish Biology*, 72(3), 614—628.
- Chittenden, C. M., Beamish, R. J., & McKinley, S. R. (2009). A critical review of Pacific salmon marine research relating to climate. *ICES Journal of Marine Science*, 66(10), 2195—2204.

- Collis, K., Beaty, R. E., & Crain, B. R. (1995). Changes in catch rate and diet of northern squawfish associated with the release of hatchery-reared juvenile salmonids in a Columbia River reservoir. *North American Journal of Fisheries Management*, 15(2), 346—357.
- Collis, K., Roby, D. D., Craig, D. P., Ryan, B. A., & Ledgerwood, R. D. (2001). Colonial waterbird predation on juvenile salmonids tagged with passive integrated transponders in the Columbia River estuary: Vulnerability of different salmonid species, stocks, and rearing types. *Transactions of the American Fisheries Society*, 130(3), 385—396.
- Connor, W. P., & Garcia, A. P. (2006). Prespawning movement of wild and hatchery fall Chinook salmon adults in the Snake River. *Transactions of the American Fisheries Society*, 135(2), 297—305.
- Cooke, S., & Suski, C. (2005). Do we need species-specific guidelines for catch-and-release recreational angling to effectively conserve diverse fishery resources? *Biodiversity and Conservation*, 14(5), 1195—1209.
- Cooke, S. J., & Wilde, G. R. (2007). The fate of fish released by recreational anglers. In S. J. Kennelly (Ed.), *By-catch reduction in the world's fisheries* (pp. 181—234). New York: Springer.
- Cooney, R. T., & Brodeur, R. D. (1998). Carrying capacity and North Pacific salmon production: Stock-enhancement implications. *Bulletin of Marine Science*, 62, 443—464.
- Coutant, C. C. (1998). What is "normative" for fish pathogens? A perspective on the controversy over interactions between wild and cultured fish. *Journal of Aquatic Animal Health*, 10(2), 101—106.
- Cross, A. D., Beauchamp, D. A., Armstrong, J. L., Blikshteyn, M., Boldt, J. L., & Davis, N. D., et al. (2005). Consumption demand of juvenile pink salmon in Prince William Sound and the coastal Gulf of Alaska in relation to prey biomass. *Deep Sea Research Part II: Topical Studies in Oceanography*, 52(1-2), 347—370.
- Crozier, W. W., Schon, P. J., Chaput, G., Potter, E. C. E., Maoileidigh, N. O., & MacLean, J. C. (2004). Managing Atlantic salmon (*Salmo salar* L.) in the mixed stock environment: Challenges and considerations. *ICES Journal of Marine Science*, 61(8), 1344—1358.
- Currens, K. P., Hemmingsen, A. R., French, R. A., Buchanan, D. V., Schreck, C. B., & Li, H. W. (1997). Introgression and susceptibility to disease in a wild population of rainbow trout. *North American Journal of Fisheries Management*, 17(4), 1065—1078.
- Daly, E. A., Brodeur, R. D., & Weitkamp, L. A. (2009). Ontogenetic shifts in diets of juvenile and subadult coho and Chinook salmon in coastal marine waters: Important for marine survival? *Transactions of the American Fisheries Society*, 138(6), 1420—1438.

- Dauer, M. B., Seamons, T. R., Hauser, L., Quinn, T. P., & Naish, K. A. (2009). Estimating the ratio of hatchery-produced to wild adult steelhead on the spawning grounds using scale pattern analyses. *Transactions of the American Fisheries Society*, 138(1), 15—22.
- Dempson, B. J., Braithwaite, V. A., Doherty, D., & Power, M. (2009). Stable isotope analysis of marine feeding signatures of Atlantic salmon in the North Atlantic. *ICES Journal of Marine Science*, 67(1), 52—61.
- Dittman, A., & Quinn, T. (1996). Homing in Pacific salmon: Mechanisms and ecological basis. *Journal of Experimental Biology*, 199(1), 83—91.
- Doctor, K. K., Hilborn, R., Rowse, M., & Quinn, T. (2009). Spatial and temporal patterns of upriver migration by sockeye salmon populations in the Wood River system, Bristol Bay, Alaska. *Transactions of the American Fisheries Society*, 139(1), 80—91.
- Dylan, F. J. (2008). How well can captive breeding programs conserve biodiversity? A review of salmonids. *Evolutionary Applications*, 1(4), 535—586.
- Ebel, W. J. (1980). Transportation of Chinook salmon, *Oncorhynchus tshawytscha*, and steelhead, *Salmo gairdneri*, smolts in the Columbia River and effects on adult returns. *Fisheries Bulletin*, 78, 491—505.
- Eldridge, W. H., Myers, J. M., & Naish, K. A. (2009). Long-term changes in the fine-scale population structure of coho salmon populations (*Oncorhynchus kisutch*) subject to extensive supportive breeding. *Heredity*, 103(4), 299—309.
- Eldridge, W. H., & Naish, K. A. (2007). Long-term effects of translocation and release numbers on fine-scale population structure among coho salmon (*Oncorhynchus kisutch*). *Molecular Ecology*, 16(12), 2407—2421.
- Essington, T. E., Quinn, T. P., & Ewert, V. E. (2000). Intra- and inter-specific competition and reproductive success of sympatric Pacific salmon. *Canadian Journal of Fisheries and Aquatic Sciences*, 57, 205—213.
- Evenson, M. D., Ewing, R. D., Noll, W. T., & Birks, E. K. (1980). Cole Rivers Hatchery evaluation study. *Federal Aid Progress Reports Fisheries: Research and Development Section*, AFS-71-3.
- Fausch, K. D. (1988). Tests of competition between native and introduced salmonids in streams: What have we learned? *Canadian Journal of Fisheries and Aquatic Sciences*, 45, 2238—2246.
- Fausch, K. D. (1998). Interspecific competition and juvenile Atlantic salmon (*Salmo salar*): On testing effects and evaluating the evidence across scales. *Canadian Journal of Fisheries and Aquatic Sciences*, 55(Suppl. 1), 218—231.
- Fausch, K. D., & White, R. J. (1986). Competition among juveniles of coho salmon, brook trout, and brown trout in a laboratory stream, and implications for Great Lakes tributaries. *Transactions of*

the American Fisheries Society, 115(3), 363—381.

Fendrick, J. L., Groberg, W. J., Jr., & Leong, J. C. (1982). Comparative sensitivity of five fish cell lines to wild type infectious haematopoietic necrosis virus from two Oregon sources. *Journal of Fish Diseases*, 5(2), 87—95.

Fenichel, E. P., Tsao, J. I., Jones, M., & Hickling, G. J. (2008). Fish pathogen screening and its influence on the likelihood of accidental pathogen introduction during fish translocations. *Journal of Aquatic Animal Health*, 20(1), 19—28.

Flagg, T. A., Berejikian, B. A., Colt, J. E., Dickhoff, W. W., Harrell, L. W., & Maynard, D. J., et al. (2000). *Ecological and behavioral impacts of artificial production strategies on the abundance of wild salmon populations*. NOAA Technical Memorandum NMFS-NWFS-41.

Fleming, I. A., & Gross, M. R. (1992). Reproductive behavior of hatchery and wild coho salmon (*Oncorhynchus kisutch*): Does it differ? *Aquaculture*, 103, 101—121.

Fleming, I. A., Jonsson, B., Gross, M. R., & Lamberg, A. (1996). An experimental study of the reproductive behaviour and success of farmed and wild Atlantic salmon (*Salmo salar*). *Journal of Applied Ecology*, 33(4), 893—905.

Fleming, I. A., & Petersson, E. (2001). The ability of released, hatchery salmonids to breed and contribute to the natural productivity of wild populations. *Nordic Journal of Freshwater Resources*, 75, 71—98.

Fleming, I. A., & Gross, M. R. (1993). Breeding success of hatchery and wild coho salmon (*Oncorhynchus kisutch*) in competition. *Ecological Applications*, 3(2), 230—245.

Fleming, I. A., Lamberg, A., & Jonsson, B. (1997). Effects of early experience on the reproductive performance of Atlantic salmon. *Behavioral Ecology*, 8(5), 470—480.

Fleming, I. A., Agustsson, T., Finstad, B., Johnsson, J. I., & Bjornsson, B. T. (2002). Effects of domestication on growth physiology and endocrinology of Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences*, 59(8), 1323.

Foott, J. S., Free, D., McDowell, T. S., Arkush, K. D., & Hedrick, R. P. (2006). Infectious hematopoietic necrosis virus transmission and disease among juvenile Chinook salmon exposed in culture compared to environmentally relevant conditions. *San Francisco Estuary and Watershed Science*, 4(1).

Ford, M. J., Fuss, H., Boelts, B., LaHood, E., Hard, J., & Miller, J. (2006). Changes in run timing and natural smolt production in a naturally spawning coho salmon (*Oncorhynchus kisutch*) population after 60 years of intensive hatchery supplementation. *Canadian Journal of Fisheries and Aquatic Sciences*, 63, 2343—2355.

- Ford, M. J., Hard, J. J., Boelts, B., LaHood, E., & Jason, M. (2008). Estimates of natural selection in a salmon population in captive and natural environments. *Conservation Biology*, 22(3), 783—794.
- Fresh, K. (1997). The role of competition and predation in the decline of Pacific salmon and steelhead. In D. J. Stouder, P. A. Bisson, & R. J. Naiman (Eds.), *Pacific salmon and their ecosystems: Status and future options*. New York: Chapman & Hall.
- Fritts, A. L., Scott, J. L., & Pearsons, T. N. (2007). The effects of domestication on the relative vulnerability of hatchery and wild origin spring Chinook salmon (*Oncorhynchus tshawytscha*) to predation. *Canadian Journal of Fisheries and Aquatic Sciences*, 64(5), 813—818.
- Fryer, J. L., & Lannan, C. N. (1993). The history and current status of *Renibacterium salmoninarum*, the causative agent of bacterial kidney disease in Pacific salmon. *Fisheries Research*, 17, 15—33.
- Garant, D., Fleming, I. A., Einum, S., & Bernatchez, L. (2003). Alternative male life-history tactics as potential vehicles for speeding introgression of farm salmon traits into wild populations. *Ecology Letters*, 6(6), 541—549.
- Good, T. P., Beechie, T. J., McElhany, P., McClure, M. M., & Ruckelshaus, M. H. (2007). Recovery planning for Endangered Species Act-listed Pacific salmon: Using science to inform goals and strategies. *Fisheries*, 32(9), 426—440.
- Goodman, M. L. (1990). Preserving the genetic diversity of salmonid stocks: A call for federal regulation of hatchery programs. *Environmental Law*, 20, 111—166.
- Goodman, D. (2005). Selection equilibrium for hatchery and wild spawning fitness in integrated breeding programs. *Canadian Journal of Fisheries and Aquatic Sciences*, 62, 374—389.
- Grant, W. S. (Ed.). (1997). *Genetic effects of straying of non-native fish hatchery fish into natural populations: Proceedings of the workshop*. NOAA Technical Memorandum NMFS-NWFSC-30.
- Gresh, T., Lichatowich, J., & Schoonmaker, P. (2000). An estimation of historic and current levels of salmon production in the Northeast Pacific ecosystem: Evidence of a nutrient deficit in the freshwater systems of the Pacific Northwest. *Fisheries*, 25(1), 15—21.
- Ham, K. D., & Pearsons, T. N. (2001). A practical approach for containing ecological risks associated with fish stocking programs. *Fisheries*, 26(4), 15—23.
- Hankin, D. G., Fitzgibbons, J., & Chen, Y. (2009). Unnatural random mating policies select for younger age at maturity in hatchery Chinook salmon (*Oncorhynchus tshawytscha*) populations. *Canadian Journal of Fisheries and Aquatic Sciences*, 66, 1505—1521.
- Hard, J. J., Jones, R. P., Jr., Delarm, M. R., & Waples, R. S. (1992). *Pacific salmon and artificial propagation under the Endangered Species Act*. NOAA Technical Memorandum NMFS-NWFSC-2.

- Hard, J. H., & Heard, W. R. (1999). Analysis of straying variation in Alaska hatchery Chinook salmon (*Oncorhynchus tshawytscha*) following transplantation. *Canadian Journal of Fisheries and Aquatic Sciences*, 56, 578—589.
- Hard, J. J., Gross, M. R., Heino, M., Hilborn, R., Kope, R. G., Law, R., & Reynolds, J. D. (2008). Evolutionary consequences of fishing and their implications for salmon. *Evolutionary Applications*, 388—408.
- Hard, J. J., Berejikian, B. A., Tezak, E. P., Schroder, S. L., Knudsen, C. M., & Parker, T. L. (2000). Evidence for morphometric differentiation of wild and captive reared adult coho salmon: A geometric analysis. *Environmental Biology of Fishes*, 58(1), 61—73.
- Hasegawa, K., Yamamoto, T., Murakami, M., & Maekawa, K. (2004). Comparison of competitive ability between native and introduced salmonids: Evidence from pairwise contests. *Ichthyological Research*, 51, 191—194.
- Hatchery Scientific Review Group. (2004). *Assessing the potential for predation on wild salmonid fry by hatchery-reared salmonids in Washington*.
- Hatchery Scientific Review Group—Mobrand, L., Barr, J. Blankenship, L., Campton, D., Evelyn, T., & Flagg, T., et al. (2004). *Hatchery reform: Principles and recommendations of the Hatchery Science Review Group*. Seattle, WA: Long Live the Kings.
- Hawkins, S. W., & Tipping, J. M. (1999). Predation by juvenile hatchery salmonids on wild fall Chinook salmon fry in the Lewis River, Washington. *California Fish and Game*, 85(3), 124-129.
- Hayes, S. A., Bond, M. H., Hanson, C. V., & MacFarlane, R. B. (2004). Interactions between endangered wild and hatchery salmonids: Can the pitfalls of artificial propagation be avoided in small coastal streams? *Journal of Fish Biology*, 65(Supplement A), 101—121.
- Heard, W. R. (2003). Alaska salmon enhancement: A successful program for hatchery and wild stocks. In Y. Nakamura, J. P. McVey, S. Fox, K. Churchill, C. Neidig, & K. Leber (Eds.), *Ecology of aquaculture species and enhancement of stocks* (pp. 149-169). Proceedings of the 30th U.S.-Japan Aquaculture Panel, 3-4 December 2001. Florida Sea Grant TP-128, Mote Marine Lab, Sarasota, FL.
- Heard, W. R. (1998). Do hatchery salmon affect the North Pacific ecosystem? *North Pacific Anadromous Fish Commission Bulletin*, 1, 405—411.
- Hedrick, R. P. (1998). Relationships of the host, pathogen, and environment: Implications for diseases of cultured and wild fish populations. *Journal of Aquatic Animal Health*, 10(2), 107—111.
- Hedrick, R. P., McDowell, T. S., Mukkatira, K., Georgiadis, M. P., & MacConnell, E. (2001). Susceptibility of three species of anadromous salmonids to experimentally induced infections with *Myxobolus cerebralis*, the causative agent of whirling disease. *Journal of Aquatic Animal Health*, 13(1), 43—50.

- Helle, J. H. (1981). Significance of the stock concept in artificial propagation of salmonids in Alaska. *Canadian Journal of Fisheries and Aquatic Sciences*, 38, 1665—1671.
- Hemmingsen, A. R., Holt, R. A., Ewing, R. D., & McIntyre, J. D. (1986). Susceptibility of progeny from crosses among three stocks of coho salmon to infection by *Ceratomyxa shasta*. *Transactions of the American Fisheries Society*, 115(3), 492—495.
- Hilborn, R. (1992). Hatcheries and the future of salmon in the Northwest. *Fisheries*, 17(1), 1—8.
- Hilborn, R., & Winton, J. (1993). Learning to enhance salmon production: Lessons from the salmonid enhancement program. *Canadian Journal of Fisheries and Aquatic Sciences*, 50, 2043—2056.
- Hilborn, R. (1998). The economic performance of marine stock enhancement projects. *Bulletin of Marine Science*, 62, 661—674.
- Hilborn, R., & Eggers, D. (2000). A review of the hatchery programs for pink salmon in Prince William Sound and Kodiak Island, Alaska. *Transactions of the American Fisheries Society*, 129(2), 333—350.
- Hill, M. S., Zydlewski, G. B., & Gale, W. L. (2006). Comparisons between hatchery and wild steelhead trout (*Oncorhynchus mykiss*) smolts: Physiology and habitat use. *Canadian Journal of Fisheries and Aquatic Sciences*, 63, 1627—1638.
- Hindar, K., & Jonsson, B. (1995). Impacts of aquaculture and hatcheries on wild fish. In D. Philipp, J. M. Epifanio, E. J. Marsden, & J. E. Claussen (Eds.), *Protection of aquatic biodiversity* (Proceedings of the World Fisheries Congress, Theme 3, pp. 70—87). Lebanon, USA: Science Publishers Inc.
- Hoffnagle, T. L., O'Connor, G., Carmichael, R. W., & Gee, S. (2009). *Prevalence of bacterial kidney disease in natural vs. hatchery-reared adult Chinook salmon spawned in a hatchery and in nature*. Oregon Department of Fish and Wildlife.
- Hoffnagle, T. L., Carmichael, R. W., Frenyea, K. A., & Keniry, P. J. (2008). Run timing, spawn timing, and spawning distribution of hatchery- and natural-origin spring Chinook salmon in the Imnaha River, Oregon. *North American Journal of Fisheries Management*, 28(1), 148—164.
- Huntingford, F. A. (2004). Implications of domestication and rearing conditions for the behavior of cultivated fishes. *Journal of Fish Biology*, 65(Supplement A), 122—142.
- Jepson, M. A., Keefer, M. L., Naughton, G. P., Peery, C. A., & Burke, B. J. (2010). Population composition, migration timing, and harvest of Columbia River Chinook salmon in late summer and fall. *North American Journal of Fisheries Management*, 30(1), 72—88.

- Johnson, S. L., Power, J. H., Wilson, D. R., & Ray, J. (2010). A comparison of the survival and migratory behavior of hatchery-reared and naturally reared steelhead smolts in the Alsea River and estuary, Oregon, using acoustic telemetry. *North American Journal of Fisheries Management*, 30, 55—71.
- Johnson, S. P., & Schindler, D. E. (2009). Trophic ecology of Pacific salmon (*Oncorhynchus* spp.) in the ocean: A synthesis of stable isotope research. *Ecological Research*, 24(4), 855—863.
- Johnsson, J., Höjesjö, J., & Fleming, I. A. (2001). Behavioural and heart rate responses to predation risk in wild and domesticated Atlantic salmon. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(4), 788.
- Jonasson, B. C., Carmichael, R. W., & Whitesel, T. A. (1995). *Residual hatchery steelhead: Characteristics and potential interactions with spring Chinook salmon in Northeast Oregon*. Oregon Department of Fish and Wildlife.
- Jonsson, B. (1997). A review of ecological and behavioural interactions between cultured and wild Atlantic salmon. *ICES Journal of Marine Science*, 54(6), 1031—1039.
- Jonsson, B., & Jonsson, N. (2006). Cultured Atlantic salmon in nature: A review of their ecology and interaction with wild fish. *ICES Journal of Marine Science*, 63(7), 1162—1181.
- Kaeriyama, M. (1998). Dynamics of chum salmon, *Oncorhynchus keta*, populations released from Hokkaido, Japan. *North Pacific Anadromous Fish Commission Bulletin*, 1, 90—102.
- Kaeriyama, M., Nakamura, M., Edpalina, R., Bower, J. R., Yamaguchi, H., Walker, R. V., & Myers, K. W. (2004). Change in feeding ecology and trophic dynamics of Pacific salmon (*Oncorhynchus* spp.) in the central Gulf of Alaska in relation to climate events. *Fisheries Oceanography*, 13(3), 197—207.
- Kaeriyama, M., Seo, H., & Kudo, H. (2009). Trends in run size and carrying capacity of Pacific salmon in the North Pacific Ocean. *North Pacific Anadromous Fish Commission Bulletin*, 5, 293—302.
- Keefer, M. L., Caudill, C. C., Peery, C. A., & Boggs, C. T. (2008). Non-direct homing behaviours by adult Chinook salmon in a large, multi-stock river system. *Journal of Fish Biology*, 72(1), 27—44.
- Kihlslinger, R. L., Lema, S. C., & Nevitt, G. A. (2006). Environmental rearing conditions produce forebrain differences in wild Chinook salmon *Oncorhynchus tshawytscha*. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 145(2), 145—151.
- Kihlslinger, R. L., & Nevitt, G. A. (2006). Early rearing environment impacts cerebellar growth in juvenile salmon. *Journal of Experimental Biology*, 209(3), 504—509.

- Kimura, T. (1994). History of fish pathology in Hokkaido. *Science Report Hokkaido Fish Hatchery*, 48.
- Knudsen, C. M., Schroder, S. L., Busack, C. A., Johnston, M. V., Pearsons, T. N., Bosch, W. J., & Fast, D. E. (2006). Comparison of life history traits between first-generation hatchery and wild upper Yakima River spring Chinook salmon. *Transactions of the American Fisheries Society*, 135(4), 1130—1144.
- Knudsen, C. M., Schroder, S. L., Busack, C., Johnston, M. V., Pearsons, T. N., & Strom, C. R. (2008). Comparison of female reproductive traits and progeny of first-generation hatchery and wild upper Yakima River spring Chinook salmon. *Transactions of the American Fisheries Society*, 137(5), 1433—1445.
- Koehler, M. E., Fresh, K. L., Beauchamp, D. A., Cordell, J. R., Simenstad, C. A., & Seiler, D. E. (2006). Diet and bioenergetics of lake-rearing juvenile Chinook salmon in Lake Washington. *Transactions of the American Fisheries Society*, 135(6), 1580—1591.
- Kope, R. G. (1992). Optimal harvest rates for mixed stocks of natural and hatchery fish. *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 931—938.
- Kostow, K. E. (2004). Differences in juvenile phenotypes and survival between hatchery stocks and a natural population provide evidence for modified selection due to captive breeding. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 577—589.
- Kostow, K. E., & Zhou, S. (2006). The effect of an introduced summer steelhead hatchery stock on the productivity of a wild winter steelhead population. *Transactions of the American Fisheries Society*, 135, 825—841.
- Kostow, K. (2009). Factors that contribute to the ecological risks of salmon and steelhead hatchery programs and some mitigating strategies. *Reviews in Fish Biology and Fisheries*, 19(1), 9—31.
- Koyama, T., Nagata, M., Miyakoshi, Y., Hayano, H., & Irvine, J. R. (2007). Altered smolt timing for masu salmon *Oncorhynchus masou* resulting from domestication. *Aquaculture*, 273(2-3), 246—249.
- Kurath, G., Garver, K. A., Troyer, R. M., Emmenegger, E. J., Einer-Jensen, K., & Anderson, E. D. (2003). Phylogeography of infectious haematopoietic necrosis virus in North America. *Journal of General Virology*, 84(4), 803—814.
- Labelle, M. (1992). Straying patterns of coho salmon (*Oncorhynchus kisutch*) stocks from southeast Vancouver Island, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1843—1855.

- Lachance, S., & Magnan, P. (1990). Comparative ecology and behavior of domestic, hybrid, and wild strains of brook trout, *Salvelinus fontinalis*, after stocking. *Canadian Journal of Fisheries and Aquatic Sciences*, 47, 2285—2292.
- Lackey, R. T. (1998). Fisheries management: Integrating societal preference, decision analysis, and ecological risk assessment. *Environmental Science and Policy*, 1(4), 329—335.
- Lackey, R. T. (1999). Salmon policy: Science, society, restoration, and reality. *Environmental Science and Policy*, 2(4-5), 369—379.
- Lackey, R. T. (2003). Pacific Northwest salmon: Forecasting their status in 2100. *Reviews in Fisheries Science*, 11(1), 35—88.
- LaPatra, S. E. (1998). Factors affecting pathogenicity of infectious hematopoietic necrosis virus (IHNV) for salmonid fish. *Journal of Aquatic Animal Health*, 10(2), 121—131.
- Larsen, D. A., Beckman, B. R., Cooper, K. A., Barrett, D., Johnston, M., Swanson, P., & Dickhoff, W. W. (2004). Assessment of high rates of precocious male maturation in a spring Chinook salmon supplementation hatchery program. *Transactions of the American Fisheries Society*, 133(1), 98—120.
- Lawson, P. W., & Sampson, D. B. (1996). Gear-related mortality in selective fisheries for ocean salmon. *North American Journal of Fisheries Management*, 16(3), 512—520.
- Lee, J. S. F., & Berejikian, B. A. (2008). Effects of the rearing environment on average behaviour and behavioural variation in steelhead. *Journal of Fish Biology*, 72(7), 1736—1749.
- Levin, P. S., Zabel, R. W., & Williams, J. G. (2001). The road to extinction is paved with good intentions: Negative associate of fish hatcheries with threatened salmon. *Proceedings of the Royal Society of London*, 268, 1153—1158.
- Levin, P. S., & Williams, J. G. (2002). Interspecific effects of artificially propagated fish: An additional conservation risk for salmon. *Conservation Biology*, 16(6), 1581—158.
- Levings, C. D., McAllister, C. D., & Chang, B. D. (1986). Differential use of the Campbell River estuary, British Columbia, by wild and hatchery-reared juvenile Chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*, 43, 1386—1397.
- Lichatowich, J., Mobrand, L., & Lestelle, L. (1999). Depletion and extinction of Pacific salmon (*Oncorhynchus* spp.): A different perspective. *ICES Journal of Marine Science*, 56, 467—472.
- Lindsay, R. B., Kenaston, K. R., & Schroeder, K. R. (2001). *Reducing impacts of hatchery steelhead programs*. Portland, OR: Oregon Department of Fish and Wildlife.

- Lindsay, R. B., Schroeder, K. R., Kenaston, K. R., Toman, R. N., & Buckman, M. A. (2004). Hooking mortality by anatomical location and its use in estimating mortality of spring Chinook salmon caught and released in a river sport fishery. *North American Journal of Fisheries Management*, 24(2), 367—378.
- Mackey, G., McLean, J. E., & Quinn, T. P. (2001). Comparisons of run timing, spatial distribution, and length of wild and newly established hatchery populations of steelhead in Forks Creek, Washington. *North American Journal of Fisheries Management*, 21(4), 717—724.
- Mantua, N. J., Taylor, N. G., Ruggerone, G. T., Myers, K. W., Preikshot, D., & Augerot, X., et al. (2009). The salmon MALBEC project: A North Pacific-scale study to support salmon conservation planning. *North Pacific Anadromous Fish Commission Bulletin*, 5, 333—354.
- Mathisen, O. A., Fair, L., Beamish, R. J., & Bugaev, V. F. (2007). Density dependent growth of sockeye salmon in the North Pacific Ocean. *North Pacific Anadromous Fish Commission Bulletin*, 4, 299—310.
- Maule, A. G., Rondorf, D. W., Beeman, J., & Haner, P. (1996). Incidence of *Renibacterium salmoninarum* infections in juvenile hatchery spring Chinook salmon in the Columbia and Snake rivers. *Journal of Aquatic Animal Health*, 8(1), 37—46.
- McClelland, E. K., Myers, J. M., Hard, J. J., Park, L. K., & Naish, K. A. (2005). Two generations of outbreeding in coho salmon (*Oncorhynchus kisutch*): Effects on size and growth. *Canadian Journal of Fisheries and Aquatic Sciences*, 62(11), 2538—2547.
- McClure, M. M., Utter, F. M., Baldwin, C., Carmichael, R. W., Hassemer, P. F., & Howell, P. J., et al. (2008). Evolutionary effects of alternative artificial propagation programs: Implications for viability of endangered anadromous salmonids. *Evolutionary Applications*, 1, 356—375.
- McClure, M. M., Holmes, E. E., Sanderson, B. L., & Jordan, C. E. (2003). A large-scale, multispecies status assessment: Anadromous salmonids in the Columbia River basin. *Ecological Applications*, 13(4), 964—989.
- McIsaac, D. O., & Quinn, T. P. (1988). Evidence for a hereditary component in homing behavior of Chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*, 45, 2201—2205.
- McLean, J. E., Bentzen, P., & Quinn, T. P. (2005). Nonrandom, size- and timing-based breeding in a hatchery population of steelhead trout. *Conservation Biology*, 19(2), 446—454.
- McLean, J., Seamons, T., Dauer, M., Bentzen, P., & Quinn, T. (2008). Variation in reproductive success and effective number of breeders in a hatchery population of steelhead trout (*Oncorhynchus mykiss*): Examination by microsatellite-based parentage analysis. *Conservation Genetics*, 9(2), 295—304.

- McMichael, G. A., Sharpe, C. S., & Pearsons, T. N. (1997). Effects of residual hatchery-reared steelhead on growth of wild rainbow trout and spring Chinook salmon. *Transactions of the American Fisheries Society*, 126, 230—239.
- McMichael, G. A., Pearsons, T. N., & Leider, S. A. (2000). Minimizing ecological impacts of hatchery-reared juvenile steelhead trout on wild salmonids in a Yakima Basin watershed. In E. E. Knudsen, C. R. Steward, D. D. MacDonald, J. E. Williams & D. W. Reiser (Eds.), *Sustainable fisheries management: Pacific salmon* (pp. 365—380). New York: CRC Press LLC.
- McMichael, G. A., Pearsons, T. N., & Leider, S. A. (1999). Behavioral interactions among hatchery-reared steelhead smolts and wild *Oncorhynchus mykiss* in natural streams. *North American Journal of Fisheries Management*, 19, 948—956.
- McMichael, G. A., & Pearsons, T. N. (2001). Upstream movement of residual hatchery steelhead into areas containing bull trout and cutthroat trout. *North American Journal of Fisheries Management*, 21(4), 943—946.
- Meffe, G. K. (1992). Techno-arrogance and halfway technologies: Salmon hatcheries on the Pacific coast of North America. *Conservation Biology*, 6(3), 350—354.
- Mesa, M. G. (1991). Variation in feeding, aggression, and position choice between hatchery and wild cutthroat trout in an artificial stream. *Transactions of the American Fisheries Society*, 120(6), 723—727.
- Metcalf, N. B., Valdimarsson, S. K., & Morgan, I. J. (2003). The relative roles of domestication, rearing environment, prior residence, and body size in deciding territorial contests between hatchery and wild juvenile salmon. *Journal of Applied Ecology*, 40(3), 535—544.
- Meyers, T. R., Korn, D., Burton, T. M., Glass, K., Follett, J. E., & Thomas, J. B., et al. (2003). Infectious hematopoietic necrosis virus (IHNV) in Alaskan sockeye salmon culture from 1973 to 2000: Annual virus prevalences and titers in broodstocks compared with juvenile losses. *Journal of Aquatic Animal Health*, 15(1), 21—30.
- Meyers, T. R., Korn, D., Glass, K., Burton, T., Short, S., Lipson, K., & Starkey, N. (2003). Retrospective analysis of antigen prevalences of *Renibacterium salmoninarum* (Rs) detected by enzyme-linked immunosorbent assay in Alaskan Pacific salmon and trout from 1988 to 2000 and management of Rs in hatchery Chinook and coho salmon. *Journal of Aquatic Animal Health*, 15(2), 101—110.
- Michael, J. J. H. (1995). Enhancement effects of spawning pink salmon on stream rearing juvenile coho salmon: Managing one resource to benefit another. *Northwest Science*, 69, 228—233.
- Mobrand, L. E., Barr, J., Blankenship, L., Campton, D. E., Evelyn, T. T. P., & Flagg, T. A., et al. (2005). Hatchery reform in Washington State. *Fisheries*, 30(6), 11—23.

- Morita, K., Morita, S. H., & Fukuwaka, M. (2006). Population dynamics of Japanese pink salmon (*Oncorhynchus gorbuscha*): Are recent increases explained by hatchery programs or climatic variations? *Canadian Journal of Fisheries and Aquatic Sciences*, *63*, 55—62.
- Morita, K., Saito, T., Miyakoshi, Y., Fukuwaka, M.-A., Nagasawa, T., & Kaeriyama, M. (2006). A review of Pacific salmon hatchery programmes on Hokkaido Island, Japan. *ICES Journal of Marine Science*, *63*(7), 1353—1363.
- Moss, J. H., Beauchamp, D. A., Cross, A. D., Farley, E. V., Murphy, J. M., & Helle, J. H., et al. (2009). Bioenergetic model estimates of interannual and spatial patterns in consumption demand and growth potential of juvenile pink salmon (*Oncorhynchus gorbuscha*) in the Gulf of Alaska. *Deep-Sea Research Part II, Topical Studies in Oceanography*, *56*(24), 2553—2559.
- Moyle, P. B. (1969). Comparative behavior of young brook trout of domestic and wild origin. *The Progressive Fish-Culturist*, *31*, 51—56.
- Murdoch, A. R., Pearsons, T. N., & Maitland, T. W. (2009). Use of carcass recovery data in evaluating the spawning distribution and timing of spring Chinook salmon in the Chiwawa River, Washington. *North American Journal of Fisheries Management*, *29*(5), 1206—1213.
- Myers, K. W., Klovach, N. V., Gritsenko, O. F., Urawa, S., & Royer, T. C. (2007). Stock-specific distributions of Asian and North American salmon in the open ocean, interannual changes, and oceanographic conditions. *North Pacific Anadromous Fish Commission Bulletin*, *4*, 159—177.
- Myers, R. A., Levin, S. A., Lande, R., James, F. C., Murdoch, W. W., & Paine, R. T. (2004). Hatcheries and endangered salmon. *Science*, *303*(5666), 1980.
- Nagasawa, K., Urawa, S., & Awakura, T. (1987). A checklist and bibliography of parasites of salmonids of Japan. *Scientific Reports of the Hokkaido Salmon Hatchery*, *41*, 1—75.
- Naish, K. A., Taylor Iii, J. E., Levin, P. S., Quinn, T. P., Winton, J. R., Huppert, D., & Hilborn, R. (2007). An evaluation of the effects of conservation and fishery enhancement hatcheries on wild populations of salmon. *Advances in Marine Biology*, *54*, 61—194.
- Nehlsen, W., Williams, J. E., & Lichatowich, J. A. (1991). Pacific salmon at the crossroads: Stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries*, *16*(2), 1—18.
- Nelson, T. C., Rosenau, M. L., & Johnston, N. T. (2005). Behavior and survival of wild and hatchery-origin winter steelhead spawners caught and released in a recreational fishery. *North American Journal of Fisheries Management*, *25*, 931—943.
- Newell, J. C., Fresh, K. L., & Quinn, T. P. (2007). Arrival patterns and movements of adult sockeye salmon in Lake Washington: Implications for management of an urban fishery. *North American Journal of Fisheries Management*, *27*(3), 908—917.

- Nickelson, T. E. (1986). Influences of upwelling, ocean temperature, and smolt abundance on marine survival of coho salmon (*Oncorhynchus kisutch*) in the Oregon production area. *Canadian Journal of Fisheries and Aquatic Sciences*, 43, 527—535.
- Nickelson, T. E. (1986). Use of hatchery coho salmon (*Oncorhynchus kisutch*) presmolts to rebuild wild populations in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences*, 43, 2443—2449.
- Nickelson, T. (2003). The influence of hatchery coho salmon (*Oncorhynchus kisutch*) on the productivity of wild coho salmon population in Oregon coastal basins. *Canadian Journal of Fisheries and Aquatic Sciences*, 60, 1050—1056.
- Nielsen, J. L. (1994). Invasive cohorts: Impacts of hatchery-reared coho salmon on the trophic, developmental, and genetic ecology of wild stocks. In D. J. Stouder, K. L. Fresh & R. J. Feller (Eds.), *Theory and application in fish feeding ecology* (pp. 361—385). Columbia: University of South Carolina.
- Noakes, D. J., Beamish, R. J., & Kent, M. L. (2000). On the decline of Pacific salmon and speculative links to salmon farming in British Columbia. *Aquaculture*, 183, 363—386.
- Noakes, D. J., Beamish, R. J., Sweeting, R., & King, J. (2000). Changing the balance: Interactions between hatchery and wild Pacific coho salmon in the presence of regime shifts. *North Pacific Anadromous Fish Commission Bulletin*, 2, 155—163.
- Nomura, T., Yoshimizu, M., & Kimura, T. (1993). An epidemiological study of furunculosis in salmon propagation in Japanese rivers. *Fisheries Research*, 17, 137—146.
- Ogura, M., & Ito, S. (1994). Change in the known ocean distribution of Japanese chum salmon, *Oncorhynchus keta*, in relation to the progress of stock enhancement. *Canadian Journal of Fisheries and Aquatic Sciences*, 51, 501—505.
- Oosterhout, G. R., Huntington, C. W., Nickelson, T. E., & Lawson, P. W. (2005). Potential benefits of a conservation hatchery program for supplementing Oregon coast coho salmon (*Oncorhynchus kisutch*) populations: A stochastic model investigation. *Canadian Journal of Fisheries and Aquatic Sciences*, 62(8), 1920—1935.
- Orlov, A. V., Gerasimov, Y. V., & Lapshin, O. M. (2006). The feeding behaviour of cultured and wild Atlantic salmon, *Salmo salar* L., in the Louvenga River, Kola Peninsula, Russia. *ICES Journal of Marine Science*, 63(7), 1297—1303.
- Orpwood, J. E., Griffiths, S. W., & Armstrong, J. D. (2004). Effect of density on competition between wild and hatchery-reared Atlantic salmon for shelter in winter. *Journal of Fish Biology*, 65, 201—209.

- Orsi, J. A., Wertheimer, A. C., Sturdevant, M. V., Fergusson, E. A., Mortensen, D. G., & Wing, B. L. (2004). Juvenile chum salmon consumption of zooplankton in marine waters of southeastern Alaska: A bioenergetics approach to implications of hatchery stock interactions. *Reviews in Fish Biology and Fisheries*, 14(3), 335—359.
- Pascual, M. A., Quinn, T. P., & Fuss, H. (1995). Factors affecting the homing of fall Chinook salmon from Columbia River hatcheries. *Transactions of the American Fisheries Society*, 124(3), 308—320.
- Pearsons, T. N., Fritts, A. L., & Scott, J. L. (2007). The effects of hatchery domestication on competitive dominance of juvenile spring Chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*, 64(803-812), 803.
- Pearsons, T. N. (in press). Operating hatcheries within an ecosystem context using the adaptive stocking concept.
- Pearsons, T. N., & Fritts, A. L. (1999). Maximum size of Chinook salmon consumed by juvenile coho salmon. *North American Journal of Fisheries Management*, 19(1), 165—170.
- Pearsons, T. N., & Hopley, C. W. (1999). A practical approach for assessing ecological risks associated with fish stocking programs. *Fisheries*, 24(9), 16—23.
- Pearsons, T. N. (2002). Chronology of ecological interactions associated with the life-span of salmon supplementation programs. *Fisheries*, 27(12), 10—15.
- Pearsons, T. N., & Temple, G. M. (2007). Impacts of early stages of salmon supplementation and reintroduction programs on three trout species. *North American Journal of Fisheries Management*, 27, 1—20.
- Pearsons, T. N., Johnson, C. L., James, B. B., & Temple, G. M. (2009). Abundance and distribution of precociously mature male spring Chinook salmon of hatchery and natural origin in the Yakima River. *North American Journal of Fisheries Management*, 29(3), 778—790.
- Pearsons, T. N., & Temple, G. M. (2010). Changes to rainbow trout abundance and salmonid biomass in a Washington watershed as related to hatchery salmon supplementation. *Transactions of the American Fisheries Society*, 139, 502—520.
- Peery, C. A., & Bjornn, T. C. (2004). Interactions between natural and hatchery Chinook salmon parr in a laboratory stream channel. *Fisheries Research*, 66(2-3), 311—324.
- Perry, E. A. (1995). Salmon stock restoration and enhancement: Strategies and experience in British Columbia. In J. H. L. Schramm & R. G. Piper (Eds.), *Uses and effects of cultured fishes in aquatic ecosystems* (pp. 152—160). Bethesda, MD: American Fisheries Society.
- Peterman, R. M. (1984). Density-dependent growth in early ocean life of sockeye salmon (*Oncorhynchus nerka*). *Canadian Journal of Fisheries and Aquatic Sciences*, 41, 1825—1829.

- Pinkerton, E. (1994). Economic and management benefits from the coordination of capture and culture fisheries: The case of Prince William Sound pink salmon. *North American Journal of Fisheries Management*, 14(2), 262—277.
- Pollard, H. A., & Bjornn, T. C. (1973). The effects of angling and hatchery trout on the abundance of juvenile steelhead trout. *Transactions of the American Fisheries Society*, 102(4), 745—752.
- Quinn, T. P., & Fresh, K. (1984). Homing and straying in Chinook salmon (*Oncorhynchus tshawytscha*) from Cowlitz River Hatchery, Washington. *Canadian Journal of Fisheries and Aquatic Sciences*, 41, 1078—1082.
- Quinn, T. P., & Seamons, T. R. (2009). Tales from scales: Old DNA yields insights into contemporary evolutionary processes affecting fishes. *Molecular Ecology*, 18(12), 2545—2546.
- Quinn, T. P., Nemeth, R. S., & McIsaac, D. O. (1991). Homing and straying patterns of fall Chinook salmon in the lower Columbia River. *Transactions of the American Fisheries Society*, 120(2), 150—156.
- Quinn, T. P. (1993). A review of homing and straying of wild and hatchery-produced salmon. *Fisheries Research*, 18(1-2), 29—44.
- Quinn, T. P., Peterson, J. A., Gallucci, V. F., Hershberger, W. K., & Brannon, E. L. (2002). Artificial selection and environmental change: Countervailing factors affecting the timing of spawning by coho and Chinook salmon. *Transactions of the American Fisheries Society*, 131(4), 591—598.
- Radtke, H. D., & Davis, S. W. (2000). Economic feasibility of salmon enhancement propagation programs. In C. M. Knudsen, C. R. Steward, D. D. MacDonald, J. E. Williams, & D. W. Reiser (Eds.), *Sustainable fisheries management: Pacific salmon* (pp. 381—392). New York: CRC Press LLC.
- Reinhardt, U. G., Yamamoto, T., & Nakano, S. (2001). Effects of body size and predators on intracohort competition in wild and domesticated juvenile salmon in a stream. *Ecological Research*, 16(2), 327—334.
- Reisenbichler, R. R., & Rubin, S. P. (1999). Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplementation populations. *ICES Journal of Marine Science*, 56, 459—466.
- Reisenbichler, R. R. (1988). Relation between distance transferred from natal stream and recovery rate for hatchery coho salmon. *North American Journal of Fisheries Management*, 8(2), 172—174.
- Rhodes, J. S., & Quinn, T. P. (1998). Factors affecting the outcome of territorial contests between hatchery and naturally reared coho salmon parr in the laboratory. *Journal of Fish Biology*, 53(6), 1220—1230.

- Rhodes, J. S., & Quinn, T. P. (1999). Comparative performance of genetically similar hatchery and naturally reared juvenile coho salmon in streams. *North American Journal of Fisheries Management*, 19(3), 670—677.
- Riley, S. C., Tatara, C. P., Berejikian, B. A., & Flagg, T. A. (2009). Behavior of steelhead fry in a laboratory stream is affected by fish density but not rearing environment. *North American Journal of Fisheries Management*, 29, 1806—1818.
- Riley, S. C., Fuss, H. J., & LeClair, L. L. (2004). Ecological effects of hatchery-reared juvenile Chinook and coho salmon on wild juvenile salmonids in two Washington streams. *North American Journal of Fisheries Management*, 24(2), 506—517.
- Riley, S. C., Tatara, C. P., & Scheurer, J. A. (2005). Aggression and feeding of hatchery-reared and naturally reared steelhead (*Oncorhynchus mykiss*) fry in a laboratory flume and a comparison with observations in natural streams. *Canadian Journal of Fisheries and Aquatic Sciences*, 62, 1400—1409.
- Ritter, J. A. (1997). The contribution of Atlantic salmon (*Salmo salar* L.) enhancement to a sustainable resource. *ICES Journal of Marine Science*, 54(6), 1177—1187.
- Roberti, K. A., Rohovec, J. S., & Winton, J. R. (1998). Vaccination of rainbow trout against infectious hematopoietic necrosis (IHN) by using attenuated mutants selected by neutralizing monoclonal antibodies. *Journal of Aquatic Animal Health*, 10(4), 328—337.
- Ruckelshaus, M. H., Levin, P., Johnson, J. B., & Kareiva, P. M. (2002). The Pacific salmon wars: What science brings to the challenge of recovering species. *Annual Review of Ecology and Systematics*, 33, 665—706.
- Rucker, R. R., Earp, B. J., & Ordal, E. J. (1954). Infectious diseases of Pacific salmon. *Transactions of the American Fisheries Society*, 83(1), 297—312.
- Ruggerone, G. T., & Rogers, D. E. (1984). Arctic char predation on sockeye salmon smolts at Little Togiak River, Alaska. *Fisheries Bulletin*, 82(2), 401—410.
- Ruggerone, G. T., Zimmermann, M., Myers, K. W., Nielsen, J. L., & Rogers, D. E. (2003). Competition between Asian pink salmon (*Oncorhynchus gorbuscha*) and Alaskan sockeye salmon (*O. nerka*) in the North Pacific Ocean. *Fisheries Oceanography*, 12(3), 209—219.
- Ruggerone, G. T., & Rogers, D. E. (1992). Predation on sockeye salmon fry by juvenile coho salmon in the Chignik Lakes, Alaska: Implications for salmon management. *North American Journal of Fisheries Management*, 12(1), 87—102.
- Ruggerone, G. T., & Nielsen, J. L. (2004). Evidence for competitive dominance of pink salmon (*Oncorhynchus gorbuscha*) over other salmonids in the North Pacific Ocean. *Reviews in Fish Biology and Fisheries*, 14(3), 371—390.

- Ryan, B. A., Smith, S. G., Butzerin, J. A. M., & Ferguson, J. W. (2003). Relative vulnerability to avian predation of juvenile salmonids tagged with passive integrated transponders in the Columbia River estuary, 1998–2000. *Transactions of the American Fisheries Society*, *132*(2), 275—288.
- Saito, T., & Nagasawa, K. (2009). Regional synchrony in return rates of chum salmon (*Oncorhynchus keta*) in Japan in relation to coastal temperature and size at release. *Fisheries Research*, *95*(1), 14—27.
- Saloniemi, I., Jokikokko, E., Kallio-Nyberg, I., Jutila, E., & Pasanen, P. (2004). Survival of reared and wild Atlantic salmon smolts: Size matters more in bad years. *ICES Journal of Marine Science*, *61*(5), 782—787.
- Scarnecchia, D. L., & Wagner, H. H. (1980). Contribution of wild and hatchery-reared coho salmon, *Oncorhynchus mykiss*, to the Oregon ocean sport fishery. *Fisheries Bulletin*, *77*(3), 617—623.
- Schindler, D. E., Augerot, X., Fleishman, E., Mantua, N. J., Riddell, B., & Ruckelshaus, M., et al. (2008). Climate change, ecosystem impacts, and management for Pacific salmon. *Fisheries*, *33*(10), 502—506.
- Schindler, D. E., Scheuerell, M. D., Moore, J. W., Gende, S. M., Francis, T. B., & Palen, W. J. (2003). Pacific salmon and the ecology of coastal ecosystems. *Frontiers in Ecology and the Environment*, *1*(1), 31—37.
- Schindler, D. E., Leavitt, P. R., Brock, C. S., Johnson, S. P., & Quay, P. D. (2005). Marine-derived nutrients, commercial fisheries, and production of salmon and lake algae in Alaska. *Ecology*, *86*(12), 3225—3231.
- Schisler, G. J., Myklebust, K. A., & Hedrick, R. P. (2006). Inheritance of *Myxobolus cerebralis* resistance among F1-generation crosses of whirling disease resistant and susceptible rainbow trout strains. *Journal of Aquatic Animal Health*, *18*(2), 109—115.
- Schroeder, R. K., Lindsay, R. B., & Kenaston, K. R. (2001). Origin and straying of hatchery winter steelhead in Oregon coastal rivers. *Transactions of the American Fisheries Society*, *130*, 431—441.
- Scientific Review Team. (1998). *Review of artificial production of anadromous and resident fish in the Columbia River basin*. Northwest Power Planning Council Report 98-33. Portland, OR: Northwest Power Planning Council.
- Scott, R., Kosick, R., Clement, M., Noakes, D., & Beamish, F. (2005). Nest site selection and spawning by captive bred Atlantic salmon, *Salmo salar*, in a natural stream. *Environmental Biology of Fishes*, *74*(3), 309—321.

- Sharpe, C. S., Topping, P. C., Pearsons, T. N., Dixon, J. F., & Fuss, H. J. (2008). *Predation of naturally-produced subyearling Chinook by hatchery steelhead juveniles in western Washington rivers*. Washington Department of Fish and Wildlife.
- Sharpe, C. S., Beckman, B. R., Cooper, K. A., & Hulett, P. L. (2007). Growth modulation during juvenile rearing can reduce rates of residualism in the progeny of wild steelhead broodstock. *North American Journal of Fisheries Management*, 27(4), 1355—1368.
- Shively, R. S., Poe, T. P., & Sauter, S. T. (1996). Feeding response by northern squawfish to a hatchery release of juvenile salmonids in the Clearwater River, Idaho. *Transactions of the American Fisheries Society*, 125(2), 230—236.
- Simpson, W., Kennedy, B., & Ostrand, K. (2009). Seasonal foraging and piscivory by sympatric wild and hatchery-reared steelhead from an integrated hatchery program. *Environmental Biology of Fishes*, 86(4), 473—482.
- Small, M. P., Currens, K., Johnson, T. H., Frye, A. E., & Van Bargaen, J. F. (2009). Impacts of supplementation: Genetic diversity in supplemented and unsupplemented populations of summer chum salmon (*Oncorhynchus keta*) in Puget Sound (Washington, USA). *Canadian Journal of Fisheries and Aquatic Sciences*, 66, 1216—1229.
- Smith, C. L., Gilden, J., Steel, B. S., & Mrakovcich, K. (1998). Sailing the shoals of adaptive management: The case of salmon in the Pacific Northwest. *Environmental Management*, 22(5), 671—681.
- Smoker, W. W., Bachen, B. A., Freitag, G., Geiger, H. J., & Linley, T. J. (2000). Alaska ocean ranching contributions to sustainable salmon fisheries. In E. E. Knudsen, C. R. Steward, D. D. MacDonald, J. E. Williams & D. W. Reiser (Eds.), *Sustainable fisheries management: Pacific salmon* (pp. 407—420). New York: CRC Press LLC.
- Snieszko, S. F. (1958). Suggestions for reduction of natural mortality in fish populations. *Transactions of the American Fisheries Society*, 87(1), 380—385.
- Stickney, R. R. (1994). Use of hatchery fish in enhancement programs. *Fisheries*, 19(5), 6—13.
- Sundström, F. L., Wendy, T. E., Mare, L., & Robert, D. H. (2009). Sustained predation effects of hatchery-reared transgenic coho salmon *Oncorhynchus kisutch* in semi-natural environments. *Journal of Applied Ecology*, 46(4), 762—769.
- Swain, D. P., & Riddell, B. E. (1990). Variation in agonistic behavior between newly emerged juveniles from hatchery and wild populations of coho salmon, *Oncorhynchus kisutch*. *Canadian Journal of Fisheries and Aquatic Sciences*, 47, 566—571.
- Sweeting, R. M., & Beamish, R. J. (2009). A comparison of the diets of hatchery and wild coho salmon (*Oncorhynchus kisutch*) in the Strait of Georgia from 1997–2007. *North Pacific Anadromous Fish Commission Bulletin*, 5, 255—264.

- Tatara, C. P., Riley, S. C., & Scheurer, J. A. (2008). Environmental enrichment in steelhead (*Oncorhynchus mykiss*) hatcheries: Field evaluation of aggression, foraging, and territoriality in natural and hatchery fry. *Canadian Journal of Fisheries and Aquatic Sciences*, 65, 744—753.
- Theriault, V., Moyer, G. R., & Banks, M. A. (2010). Survival and life history characteristics among wild and hatchery coho salmon (*Oncorhynchus kisutch*) returns: How do unfed fry differ from smolt releases? *Canadian Journal of Fisheries and Aquatic Sciences*, 67, 486—497.
- Thomas, G. L., & Mathisen, O. A. (1993). Biological interactions of natural and enhanced stocks of salmon in Alaska. *Fisheries Research*, 18, 1—17.
- Thompson, R. B., & Tufts, D. F. (1967). Predation by dolly varden and northern squawfish on hatchery-reared sockeye salmon in Lake Wenatchee, Washington. *Transactions of the American Fisheries Society*, 96(4), 424—427.
- Thorpe, J. E. (1980). *Salmon ranching*. London: Academic Press Inc.
- Thorpe, J. E. (2004). Life history responses of fishes to culture. *Journal of Fish Biology*, 65, 263—285.
- Thorstad, E. B., Næsje, T. F., & Leinan, I. (2007). Long-term effects of catch-and-release angling on ascending Atlantic salmon during different stages of spawning migration. *Fisheries Research*, 85(3), 316—320.
- Tymchuk, W. E., Biagi, C., Withler, R., & Devlin, R. H. (2006). Growth and behavioral consequences of introgression of a domesticated aquaculture genotype into a native strain of coho salmon. *Transactions of the American Fisheries Society*, 135(2), 442—455.
- Utter, F. (1998). Genetic problems of hatchery-reared progeny released into the wild, and how to deal with them. *Bulletin of Marine Science*, 62, 623—640.
- VanderKooi, S. P., & Maule, A. G. (1999). Prevalence of *Renibacterium salmoninarum* in juvenile spring Chinook salmon at Columbia and Snake River hatcheries, 1993-1996. *Journal of Aquatic Animal Health*, 11(2), 162—169.
- Viola, A. E., & Schuck, M. L. (1995). A method to reduce the abundance of residual hatchery steelhead in rivers. *North American Journal of Fisheries Management*, 15(2), 488—493.
- Volpe, J. P., Anholt, B. R., & Glickman, B. W. (2001). Competition among juvenile Atlantic salmon (*Salmo salar*) and steelhead (*Oncorhynchus mykiss*): Relevance to invasion potential in British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(1), 197.
- Waples, R. S. (1991). Genetic interactions between hatchery and wild salmonids: Lessons from the Pacific Northwest. *Canadian Journal of Fisheries and Aquatic Sciences*, 48, 124—133.

- Waples, R. S., Ford, M. J., & Schmitt, D. (2007). Empirical results of salmon supplementation in the northeast Pacific: A preliminary assessment. In T. M. Bert (Ed.), *Ecological and genetic implications of aquaculture activities* (Vol. 6, pp. 383—403). Dordrecht: Springer.
- Waples, R. S., Winans, G. A., Utter, F. M., & Mahnken, C. (1990). Genetic approaches to the management of Pacific salmon. *Fisheries*, *15*(5), 19—25.
- Waples, R. S. (1994). Genetic considerations in recovery efforts for Pacific salmon. *Conservation Biology*, *8*(3), 884—886.
- Waples, R. S. (1999). Dispelling some myths about hatcheries. *Fisheries*, *24*(2), 12—21.
- Ward, D. M., Nislow, K. H., & Folt, C. L. (2009). Increased population density and suppressed prey biomass: Relative impacts on juvenile Atlantic salmon growth. *Transactions of the American Fisheries Society*, *138*(1), 135—143.
- Washington, P. M., & Koziol, A. M. (1993). Overview of the interactions and environmental impacts of hatchery practices on natural and artificial stocks of salmonids. *Fisheries Research*, *18*, 105—122.
- Weber, E. D., & Fausch, K. D. (2003). Interactions between hatchery and wild salmonids in streams: Differences in biology and evidence for competition. *Canadian Journal of Fisheries and Aquatic Sciences*, *60*, 1018—1036.
- Weber, E. D., & Fausch, K. D. (2004). Abundance and size distribution of ocean-type juvenile Chinook salmon in the upper Sacramento River margin before and after hatchery releases. *North American Journal of Fisheries Management*, *24*(4), 1447—1455.
- Weber, E. D., & Fausch, K. D. (2005). Competition between hatchery-reared and wild juvenile Chinook salmon in enclosures in the Sacramento River, California. *Transactions of the American Fisheries Society*, *134*(1), 44—58.
- Weir, L. K., Hutchings, J. A., Fleming, I. A., & Einum, S. (2005). Spawning behaviour and success of mature male Atlantic salmon (*Salmo salar*) parr of farmed and wild origin. *Canadian Journal of Fisheries and Aquatic Sciences*, *62*(5), 1153—1160.
- Wertheimer, A. C., Heard, W. R., Maselko, J. M., & Smoker, W. W. (2004). Relationship of size at return with environmental variation, hatchery production, and productivity of wild pink salmon in Prince William Sound, Alaska: Does size matter? *Reviews in Fish Biology and Fisheries*, *14*(3), 321—334.
- Wessel, M. L., Smoker, W. W., Fagen, R. M., & Joyce, J. (2006). Variation of agonistic behavior among juvenile Chinook salmon (*Oncorhynchus tshawytscha*) of hatchery, hybrid, and wild origin. *Canadian Journal of Fisheries and Aquatic Sciences*, *63*, 438—447.

- Williams, R. N., Bisson, P. A., Bottom, D. L., Calvin, L. D., Coutant, C. C., & Erho, M. W., et al. (1999). Return to the river: Scientific issues in the restoration of salmonid fishes in the Columbia River. *Fisheries*, 24(3), 10—19.
- Winton, J., & Hilborn, R. (1994). Lessons from supplementation of Chinook salmon in British Columbia. *North American Journal of Fisheries Management*, 14(1), 1—13.
- Withler, R. E., Rundle, T., & Beacham, T. D. (2007). Genetic identification of wild and domesticated strains of Chinook salmon (*Oncorhynchus tshawytscha*) in southern British Columbia, Canada. *Aquaculture*, 272(Supplement 1), S161—S171.
- Wright, S. (1981). Contemporary Pacific salmon fisheries management. *North American Journal of Fisheries Management*, 1(1), 29—40.
- Yamamoto, S., Nakamura, H., & Koga, K. (2008). Interaction between hatchery and wild juvenile white-spotted charr *Salvelinus leucomaenis* in a stream enclosure experiment. *Journal of Fish Biology*, 73(4), 861—869.
- Yamamoto, T., & Reinhardt, U. G. (2003). Dominance and predator avoidance in domesticated and wild masu salmon *Oncorhynchus masou*. *Fisheries Science*, 69(1), 88—94.
- Yasutake, W. T., McIntyre, J. D., & Hemmingsen, A. R. (1986). Parasite burdens in experimental families of coho salmon. *Transactions of the American Fisheries Society*, 115(4), 636—640.
- Yoshimizu, M., Nomura, T., Ezura, Y., & Kimura, T. (1993). Surveillance and control of infectious hematopoietic necrosis virus (IHNV) and *Oncorhynchus masou* virus (OMV) of wild salmonid fish returning to the northern part of Japan 1976-1991. *Fisheries Research*, 17, 163—173.
- Young, K. A. (2004). Asymmetric competition, habitat selection, and niche overlap in juvenile salmonids. *Ecology*, 85(1), 134—149.
- Youngson, A. F., & Verspoor, E. (1998). Interactions between wild and introduced Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences*, 55, 153—160.
- Zaporozhets, O. M., & Zaporozhets, G. V. (2004). Interaction between hatchery and wild Pacific salmon in the far east of Russia: A review. *Reviews in Fish Biology and Fisheries*, 14(3), 305—319.
- Zhou, S. (2002). Uncertainties in estimating fishing mortality in unmarked salmon in mark-selective fisheries using double-index-tagging methods. *North American Journal of Fisheries Management*, 22(2), 480—493.
- Zhou, S. (2004). A pipeline model for estimating fishing mortality in salmon mark-selective fisheries. *North American Journal of Fisheries Management*, 24(3), 979—989.